

Theoretical weights of 1 running metre of ribbed reinforcement bars

Material	Libra
High adherence bar fi 6 mm	0,22 kg
High adherence bar fi 8 mm	0,40 kg
High adherence bar fi 10 mm	0,62 kg
High adherence bar fi 12 mm	0,89 kg
High adherence bar fi 14 mm	1,21 kg
High adherence bar fi 16 mm	1,59 kg
High adherence bar fi 18 mm	2,00 kg
High adherence bar fi 20 mm	2,47 kg
High adherence bar fi 22 mm	2,98 kg
High adherence bar fi 25 mm	3,85 kg
High adherence bar fi 28 mm	4,83 kg
High adherence bar fi 32 mm	6,31 kg
High adherence bar fi 40 mm	9,87 kg